UV SPECTRUM DATA FO	OR DESFERRIOXAMINE
WAVELENGTH (nm)	ABSORBANCE
190	0.184
200	0.244
204	0.306
208	0.283
220	0.127
230	0.040
240	0.007
245	0.002

Fig. 1




Fig. 2

## CALIBRATION CURVE FOR DESFERRIOXAMINE IN METHANOL

Working Solution in 10ml	CONCENTRATION IN mg/ml	ABSORBANCE @ 204nm
0.010mg	0.0010	0.020
0.025mg	0.0025	0.092
0.050mg	0.0050	0.182
0.075mg	0.0075	0.239
0.100mg	0.0100	0.318
0.150mg	0.0150	0.536
0.200mg	0.0200	0.704

Fig. 3

## CALIBRATION CURVE FOR DESFERRIOXAMINE IN METHANOL





Fig. 4


Blood Chemistry Values Before and After Liposome Infusion (with and without Desferrioxamine) were not significantly different.

	Doforo	"" TTV "" " TV TV	The state of the s
	pelore	24 Hours Affer	5 Days Arrer Intusion
SGOT	100 ± 10	$102 \pm 10$	100 ± 10
SGPT	$36\pm2$	$36 \pm 2$	$37 \pm 2$
*AP		97 ± 1	97 ± 0.4
BUN	17 ± 0.4	17±1	18±2
Iron (blood)	$205 \pm 7$	$203 \pm 3$	$205 \pm 5$
Total CK	$2\pm 0$	0 + 0	0 + 0
* AP = alkaline Phosphatase	hosphatase		


Reported values before injection and after injection of Desferrioxamine-encapsulated liposomes.


Fig. 5








111 In Desferrioxamine Biodistribution in Rats


















<sup>111</sup>In Desferrioxamine Biodistribution in Rats









16/16